

CATELOGUE 2018/2019



Table of contents

Domestic Pools

- ⇒ **Pumps**
- ⇒ **Filters**
- ⇒ **Fittings**
- ⇒ **Lights**

Commercial Pools

- ⇒ **Pumps**
- ⇒ **Filters**
- ⇒ **Lights**

Fountains

- ⇒ **Animated**
- ⇒ **Water Quintet Animated Fountain**
- ⇒ **Water Trio Animated Fountain**
- ⇒ **Nozzles**
- ⇒ **Custom Floating Fountains**
- ⇒ **Pumps**
- ⇒ **Lights**



DOMESTIC POOLS EQUIPMENT



PUMPS

Emaux SS Series Pumps

Features

- Quiet and energy efficient
- 1.5-inch suction and discharge port
- Transparent lid
- Operates at a low decibel
- Requires minimal maintenance
- IPX5 waterproof standard
- Overload protection
- External heat sink
- Available in 50hz with 220v
- Built in thermal protection



SKU: PESS

Emaux SB Series Pump

Features

- Delivers high flow
- Energy efficient
- 2-inch suction and discharge port with a transparent lid
- Ring lock seal design to eliminate suction leaks and maximise suction efficiency
- Built in thermal protection
- Available in 50hz with 220V/380V



SKU: PESB

Emaux E-Power Variable Speed Pump

Features

- Super quiet operation
- Robust and Reliable
- Superior Energy Saving Technology
- User Friendly programming
- 5l Strainer



SKU: PEEPH

Emaux E-Power Pump

Features

- Delivers high flow and energy efficiency ultra-performance
- 2-inch suction and discharge port with transparent lid
- Built in thermal protection/Overload protection
- Super quiet operation



SKU: PEEPY

FILTERS

S Series Side Mount Filter

Features

- Bobbin-wound fiberglass reinforced tank
- UV resistant surface finish
- Transparent lid designed for easy inspection
- Equipped with six positions, 1.5", 2" or 2.5" multiport valve and ABS laterals
- Suggested Installation: Domestic In-Ground and above ground pool/hot spa tub
- Max temperature of 43°C (190°F)
- Universal standard union connection provided
- Suggested size of media: 0.6- 1.5mm



SKU—FES

V Series Top Mount Filter



Features

- Bobbin-wound fiberglass reinforced tank
- UV resistant surface finish
- Equipped with six positions, 1.5", 2" or 2.5" multiport valve and ABS laterals
- Suggested Installation: Domestic In-Ground and above ground pool/hot spa tub
- Universal standard union connection provided

SKU—FET



CF Series Cartridge Filter



Features

- Compact and Lightweight
- UV resistant tank
- Heavy duty ring-lock lid allows easy cleaning and replacement of cartridge element
- Screw type air bleeder for easy removal of trapped air inside tank
- High quality oil filled pressure gauge for easy inspection
- Application to domestic swimming pool & spa
- Maximum Working Pressure 250Kpa/36psi/2.5 bar
- Easy to install
- Up to 10-micron filtration

Elements available in store



FCE100	Cartridge Filter Emaux 100ft
FCE100E	Filter Element Emaux 100ft
FCE150	Cartridge Filter Emaux 150ft
FCE150E	Filter Element Emaux 150ft
FCE200	Cartridge Filter Emaux 200ft
FCE200E	Filter Element Emaux 200ft
FCE25	Cartridge Filter Emaux 25ft
FCE25E	Filter Element Emaux 25ft
FCE50	Cartridge Filter Emaux 50ft
FCE50E	Filter Element Emaux 50ft
FCE75	Cartridge Filter Emaux 75ft
FCE75E	Filter Element Emaux 75ft



FITTINGS

Main Drain


These drains are manufactured from high quality ABS plastic, corrosion and UV resistant.
Available for both residential and commercial pools



SKU—MDSE



SKU—MDEC



MDSEC

Chlorinators

SSC Series Salt Chlorinator



SKU—CESC

Features

- 3 models to choose 15,25,45g/hr
- Self-cleaning reverse polarity
- Quality titanium cells
- Light transformer models
- Max working pressure: 250kPa/36psi/2.5bar

SALT AVAILABLE IN STORE

Benefits

- Environmentally friendly
- Your pool is automatically disinfected
- Reduction in chlorine storage and handling
- Clean, safe and crystal-clear water
- Therapeutic, saltwater does not irritate the eyes and dry out



Ladders

Features

- 304 Stainless steel tube 42mmØ Handrails
- 304 Stainless steel steps
- Anchoring fixtures
- Available as 3; 4; 5 steps
- Now also available in 316 stainless steel



SKU—SSL 4

Exit Handrail



Features

Polished AISI - 304 or AISI – 316 Stainless Steel (Ø 42 mm) pipe.

SKU—SSER

Overflow grating – Swimming Pool

Fittings

Features



SKU—POGE

- Most versatile & flexible grating available
- Injection molded polypropylene & fiberglass
- Integrated anti-slip surface
- Suitable for different shape pools
- Cost effective
- Chemical, UV and atmospheric resistant
- Standard white non-slip materials
- 300mm wide



LIGHTING

E-Lumen Compact Light

Features



- Resin Filled LED panel allows 100% waterproofing
- Concrete, Vinyl Pool, Fiberglass Pool & Liner Pool Compatible
- Durable ABS structure with high quality PC transparent lid
- IP68 Waterproof standard

SKU—LEECLB

CP100 Series Light



Features

- ABS with UV resistant
- Cable: 2.5 m
- IP68 Waterproofing standard
- Flat mount installation
- Available in white & colour changing

SKU—LELCP100W

SKU—LELCP100RGB

P100 Series Light

Features

- ABS + UV stabilizer
- 2.5m cable
- IP68 Waterproof
- Wall mounted (flat type) installation
- Round underwater light
- LED Panel
- 12V/8W
- Available in white, blue and colour changing



SKU—LELP100



COMMERCIAL POOL EQUIPMENT



PUMPS

ES Series Pump

Features

- High-volume self-priming pump available in 4 pole version
- Ideal for larger filtration systems
- Large suction side Pre-filter body, which together with excellent hydraulic performance ensures extremely high filtration capacity
- Pre-filter basket in polyethylene
- Polycarbonate pre-filter cover with four-pin closure system
- Mechanical seal in ceramic carbon and AISI-316 stainless steel
- Enclosed asynchronous motor with external ventilation
- IP55 waterproof standard
- Frequency 50Hz
- Motor bearings greased for life to ensure long duration and silent operation



SKU—PEES

FILTERS

NL Series Commercial Sand Filter



Features

- Includes butterfly valve manifold
- Large capacity up to 102m³
- Non-corrosive fiberglass and resin
- UV resistance, suitable for operation under prolong sunlight
- Max operating pressure 36 psi (2.5bar) /56 psi (4.0bar)
- Maximum filtration velocity: 50m³/h/m²
- Suggested size of media: 0.6-1.5mm sand and 1-2mm gravel

SKU—FEC



FITTINGS

Heavy Duty Skimmer

Features

- Can be used for residential and commercial swimming pools
- UV resistant
- Maximum strength and durability for all weather conditions
- High flexibility design allows 1.5" or 2" suction connections to piping
- Large debris collection basket



SKU—WECS

**We also stock main drains, over flow gratings, ladders, lane ropes, starter blocks.
Please enquire in store.**



FOUNTAIN EQUIPMENT



Animated

Magical water and light effects liven up your garden with laminar streams of water.



SKU—OWJL

Water Quintet Animated Fountain

Extremely flexible implementation, the Water Quintet can be optimally integrated in every custom garden concept.



SKU—OWQ

Water Quintet Animated Fountain

Extremely flexible implementation, the Water Quintet can be optimally integrated in every custom garden concept.



SKU—OWT



NOZZLES



Cascade Fountain Nozzles

Features

- Lively display, Geiser pattern
- Wide base converging to a cone
- Rich air mixture
- Effective water saving
- Available Nozzles – 50T, 70T, 90T, 110, 130



SKU—ONC

Fan Fountain Nozzles

Water film nozzles

Features

- Fan shaped water stream
- Universal application
- Entirely high-grade steel



SKU—WFJ

Komet Fountain Jet/Clear Water Jets

Single Jet Nozzle

Features

- Clear, wind stable, full stream
- Independent from water level
- For greater fountain heights



SKU—CWJ



Brass Aimflow Jet Single Jet Nozzle

Features

- Clear single jet nozzle available in various sizes (6mm, 8mm, 10mm, 12mm)
- Designed to be installed flush with floor
- Wind stable and independent from water level
- LED ring light optional

SKU—AGB8



SKU—AGB8L

Lava Fountain Nozzles

Water Film Nozzles



SKU—WB40

Features

- Transparent water pattern
- Silent running
- Adjustable bell diameter
- Independent from the water level



Schaumsprudler Fountain Nozzles

Foam effect fountain nozzles

Features

- Lively, high contrast water pattern
- Highly compact white foam jet
- Rich air mixture
- Highly wind stable



SKU—ONS35

Vulcan Multi Jet Nozzle

Features

- Multi Stage water pattern
- Precise full jets that are stable in wind
- Water level dependent



SKU—ONV43S



CUSTOM FLOATING FOUNTAINS



Floating Fountains are manufactured to order, these can be custom made to suit many occasions and venues with many interactive choices

Features

- Various Nozzle types in different patterns
- Coloured LED or Ultra bright coloured halogen lights
- Infinitely variable programme sequences
- Changing heights or pulsating action
- Musical interaction



FOUNTAIN PUMPS



FOUNTAIN PUMPS

Pontec Pondovario

Features

- Suitable for garden ponds, ornament fountains and small watercourses
- Removable fine filter casing for feeding watercourses or filters
- Pivoting telescopic extension with 4 nozzles and ball joint
- Stepped hose adapters $\frac{1}{4}$ ", $\frac{1}{2}$ ", 1", included in the scoped delivery
- Including thermal cut off switch



SKU—PPV

Hailea HX Series

Features

- High quality ceramic shaft
- Ceramic bearing ensures continuous operation
- All electrical parts are fully encapsulated in resin
- Thermal overload switch protection
- Ideal for larger features, fountains, rockeries or waterfalls
- Pre-filter is used for primary filtration, efficient and easy to disassemble and assemble



SKU—PHX88



Hailea S Series

Features

- Professionally designed low- power motor, energy saving, large output and high HEAD.
- Universal submersible or inline pond pump
- High-precision ceramic shaft, solid and durable
- High integrity resin sealing of electrical parts
- Thermal overload switch protection
- Ideal for larger features, fountains, rockeries and waterfalls
- Pre-filter is used for primary filtration
- Efficient and easy to disassemble and assemble
- 10m power cable
- 3 pin SABS approved plug
- 2 year warranty



SKU—PHS

Aquarius Eco Expert

Features

- Energy efficient pump
- Alternating fountain heights can be individually switched with power consumption in line with demand
- Robust and durable stainless-steel housing for stability
- Ergonomic handle for easy transport and installation
- Unique, patented frost protection
- Can be set up underwater and dry
- Adapter set for connection of 1" and 1 1/2" nozzles
- Steel filter basket



SKU—OAEE



SUBMERSIBLE LIGHTS FOR YOUR FOUNTAIN





PoolSpa
& Filtration supplies pty Ltd

LED RING LIGHTS

LED ring lights are an innovative light source for shining up running water outlets; waterfalls; bubblers and fountain jets — wonderful in flower arrangements & highlighting a pot plant.



18 Diode Led
25 mmØ ID
45 mmØ OD
Colour—White, Blue



120 Diode Led
180 mmØ ID
220 mmØ OD
Colour—White; Blue; colour changing

60 Diode Led
180 mmØ ID
220 mmØ OD
Colour— Green, red white



36 Diode Led
69 mmØ ID
115 mmØ OD
Colour— Red, green, blue,



24 Diode Led
42 mmØ ID
60 mmØ OD
Colour— White; Red, Blue, Yellow; colour changing



Ideal all round Lighting for all types of fountain nozzles, heights ranging from 250mm—300mm. We have other lighting options available for fountains higher than 300mm.

Magic Pond Lights

Submersible light available in halogen or LED

Features

- Great for garden lighting
- Fully submersible in ponds and water features
- Cable length 10m
- Incl 12V transformer
- Comes as 20W, 35W & 50W halogen
- Wide angle swivel head
- Small compact design



SKU—LMPK

Lunaqua 10 Fountain Lights

Multi-purpose garden and submersible fountain lights



SKU—OL10

Lunaqua 10 Fountain Lights

20W Underwater halogen fountain lights
Available in complete sets or individual



SKU—OL3



ZINC ALLOY POND SUBMERSIBLE LIGHTS

Features

- Hi-bright Led pond lights in zinc alloy
- For use in the garden or under water
- 50° angle beam
- 3 or 12 x 1W LED diodes



SKU—LMP3

SSF20 Fountain Light

Features

- AISI 304 Stainless Steel
- 2.5m cable
- IP68 rated waterproofing
- Wall mount niche/floor mount bracket
- MR16 Dichroic globe
- 12 VAC 20W power
- Available in LED (1w) and halogen (20w)



SKU—LELF18

